

PROFIT TECHNOLOGY

WITH THE POWER OF OUR **BSVI** RANGE LEAD THE CHANGE 1923 (4×2)









Your BharatBenz comes with a pool of best in class features

Safety

• Rear Camera:

State-of-the-art technology that aids in safer and faster reversing.

Driver State Monitoring System (Standard): Identifies facial patterns and alerts drivers from falling asleep or being distracted at the wheel.

Seatbelt Reminder:

Ensures superior safety to the occupants.

• Diffuser Tailpipe:

Helps in exhaust temperature management and reduction of dust throw.

• Daytime Running Lamp:

Ensures vehicle visibility during daytime as well.

Comfort

• Heating, Ventilation & AC (HVAC):

High throw air conditioning and climate control for all extreme weathers.

Air Suspended Seat (Standard):

Ensures maximum driving comfort even in rugged terrains.

• Music System:

For entertainment and information on the go.

Power Windows:

Windows that can be raised or lowered just with the press of a button.

• Central Locking:

Locks the whole cabin with just a flick of the driver-side lock handle.

• Static Steering:

Enables easier maneuverability during tight turns.




ENGINE

Designed for higher efficiency, longer life and maximum power with optimal fuel consumption to enable you to maximize your revenues.



3 PIECE BUMPER

In the event of collision, only the damaged part has to be replaced. Thus reducing the maintenance cost.



G85 WITH IMPROVED GEAR RATIOS

Deeper ratios to improve gradeability and also fuel efficiency by ensuring higher operating time in top gears.



SINGLE STAGE DIFFERENTIAL LOCK

Avoids the wheel spinning on slushy roads, enabling faster trip turnaround time.



FUEL THEFT PROTECTION MESH

A meshed grill is placed at the mouth of the fuel tank to prevent any fuel theft between trips.



GEAR SHIFT ADVISOR

Provides up/down indication of the gear shift to ensure optimal operation of the vehicle.



TURBOCHARGER


High boost turbocharger ensures the perfect blend of air and fuel mixture, thus reducing fuel consumption.



The second

ELECTRONIC BRAKE FLAP

Electronically controlled system that accurately controls the exhaust brake flap to ensure efficient thermal management within the engine thereby improving fuel efficiency



ENGINE BRAKE

When the engine brake is on, the constant throttle valve and the butterfly valve work in tandem to save fuel, reduce brake wear and make driving in downhill operations safer.



THICKER AND DURABLE FRAME

With 9mm thick frame. With high strength steel (BSK46/E500) for ensuring to superior durability and reliability.



POWER REDUCTION (PR) COMPRESSOR

Optimizes the power taken from the engine and helps improve the fuel efficiency by cutting off the load to the engine.



LONG LASTING CABIN PAINT

With 800 hours of UV testing done for better cabin paint reliability.



ADVANCED AERODYNAMIC CABIN

Offers the lowest drag and add-on bumper spoiler with splitter for improved aerodynamics.



LONGER SERVICE INTERVALS

Ensures fewer number of visits to the dealership thus reducing cost of maintenance.




OPTIMAL REAR AXLE RATIOS

Carefully chosen rear axle ratios for a best-in-class fuel efficiency and gradeability.

Designed to Deliver.

The body types available for BharatBenz 1923C include the below mentioned:



Capacity: 10.5 Cu.m, Wheelbase: 3600mm



Cabin Chassis, Wheelbase: 3600mm



Larger Turbocharger Intake Manifold Heater

Higher Battery Capacity

Cabin Chassis suited for 8.5 Cu. m Loadbody

Technical Specifications

Type (Size)

Gross Vehicle Weight - GVW (kgs)


Weight

Vehicle Dimensions	
Wheelbase (mm)	3600
Cabin	Day cabin with foldable berth
Loading Span (ft)/	10.5 Cu.m Box
Loadbody cpc (Cu.m)	
Overall Width (mm)	6185
Overall Width (mm)	2490
Overall Height (mm) (CBC)	2960 1485
Front Overhang (mm)	1100
Rear Overhang (mm) Ground Clearance (mm)	265
Engine	200
Engine Model	OM 926
Maximum Power, KW	180Kw @2200 rpm
Maximum Torque, Nm	850 Nm @ 1200 - 1600 rpm
No. of Cylinders, CC	6, 7200
Emission Std	Bharat Stage VI
Transmission	
Gear Box Model & Type	Improved G85, 6F+1R, Mechanical, Synchromesh Gears
Clutch Type	Single Dry Plate, Hydraulic Control
Clutch Dia, Wear (mm)	395, 3.5 mm
Axle	IF - 0
Front Axle	IF 7.0
Rear Axle	RA: IR440-11
RAR*	5.875
Chassis Frame & Suspension Frame Section (D X W X T) (mm)	288 × 70 × 9
Front Suspension	Parabolic Type Leaf Spring with 2 Hydraulic Shock Absorbers
Rear Suspension	Semi-elliptical Leaf Spring
Near Suspension	Genn-emptical Leaf Opining
Anti-Roll Bar	Front: Standard, Rear: Standard
Brakes	
Service Brake	Pneumatic Foot Operated, Dual Line with ABS
Parking Brake	Pneumatically Operated Hand Control Valve
Front Axle Brake	Ø 410 drum
Rear Axle Brake	Ø 410 drum
2.00	
Steering	
Steering Type	Hydraulic Power Assisted
Fuel Tank & Electricals	
Fuel Tank / Filling Capacity*	215L/200L
Adblue Tank	43L/36L
Battery Capacity	120Ah (Std)/130Ah (For HAP)
Voltage	24V
Performance	000/
Maximum Gradeability %	38%
Maximum Geared Speed	60kmph
TCD*	13.5m
Tyres (Size, Pattern)	
Type (Size)	Nulan Tira (11v00)

Nylon Tyre (11x20)

18500 (Nylon Tyre)

Globally Proven SCR Technology




Your truck at your fingertips




With Truckonnect, an interactive portal that uses real-time vehicle data, you can monitor and analyse your fleet and processes. The core objective of Truckonnect is to increase uptime, provide 24/7 support service, monitor real-time fleet performance and ensure the drivers' safety.




The All-round Services Package for your Truck




Ensuring Safe Journeys





Ensuring Safe Journeys

As a promise to offer a safe and hygienic cabin on our MDT and HDT trucks, we have introduced 3 safety features as part of the standard offering (Curtains in HDT Sleeper Cabin, Infection Resistant Fabric on Seat and Healthcare Kit for Drivers) and 2 additional features as accessories for sale at the dealer's end (Disinfectant Fogging Machine and UV Sterilizer Box).








Note: * Accessories only and not part of Standard fitment.

Within Reach. No Matter Where You Are.

We believe that the customer's convenience is paramount. Area sales offices in 14 leading cities and a network covering 236 locations mean that you can quickly purchase a BharatBenz truck, whenever and wherever the need arises. We are already setting benchmarks in the Indian trucking industry with well-trained sales staff, highly qualified service personnel, customized services and products and state-of-the-art infrastructure.

We are committed to delivering a superlative experience across the length and breadth of India.



Daimler India Commercial Vehicles Pvt. Ltd.

SIPCOT Industrial Growth Centre, Oragadam, Mathur Post, Sriperumbudur Taluk, Kancheepuram District - 602105, Tamil Nadu, India.

Toll Free No.: 1800-120-380380 (Service), 1800-121-380380 (Sales), 1800-120-381381 (Parts)

Website: www.bharatbenz.com

